TREE & SHRUB INFORMATION SHEET TUSCOLA CONSERVATION DISTRICT 1075 CLEAVER RD. CARO, MI 48723 989-673-8174 EXT. 3

Type: C-Conifer-cone bearing tree; green all year round., H-Harwood, S-Shrub-small, woody, deciduous plant, F-Fruit

Common/Scientific Name	Туре	Height	Growth Speed	Fruit	Site	Soil	Wildlife/Uses
White Pine (Pinus strobus)	С	80'-120'	Moderate to fast	Cones	Somewhat Shade Tolerant	Rich, porous, moist to well- drained soil	Timbers, borders & wildlife cover
Red Pine (Pinus resinosa)	С	50'-80'	Moderate to fast	Cones	Plant in open area	Well draind, sandy soil	Timber, windbreaks, songbirds like the seeds
Scotch Pine (Pinus sylvestris)	С	50'-75'	Fast	Cones	Planted in a variety of locations	Sandy to loamy soil	Wildlife cover, windbreaks, Christmas tree
Austrian Pine (Picea nigra)	С	60'-90'	Moderate to fast	Cones	Shade intolerant	Sandy & gravely soil	Windbreak, tolerant of soot, smoke & salt
White Spruce (Picea Glauca)	С	60'-100'	Slow to moderate	Cones	Somewhat shade tolerant	Moist sandy Ioam	Wildlife cover, windbreak, Christmas trees
Blue Spruce (Picea pungens)	С	80'-100'	Slow	Cones	Moderately shade tolerant	Rich, moist soils	Does not tolerate salt, wildlife cover, windbreak, Christmas trees
Norway Spruce (Picea abies)	С	60'-90'	Moderate to fast	Cones	Shade tolerant	Moist clay to loam; tolerates variety of soil	Wildlife cover, windbreak, liked by deer & grouse
White Cedar (Thuja occidenbtalis)	С	40'-50'	Slow	Cones	Shade tolerant	Tolerates wet soils	Excellent wildlife cover, seeds eaten by birds; hedges & windscreen, ornamental
American Larch (Larix Iaricina)	С	40'-80'	Fast	Cones	Full sun to partial shade	Will grow on upland sites;	Wildlife cover, resistant to deer browse, used for

						tolerates wet soils	poles & rough lumber, decay resistant
Concolor Fir (Abies concolor)	С	50'-70'	Moderate	Cones	Grows in a variety of locations	Well drained upland soils	Windbreak, hedge row, Christmas trees
Balsam Fir (Abies balsamea)	С	40'-50'	Moderate	Cones	Shade tolerant	Tolerates wet soils	Wildlife cover, wind break, Christmas trees
Eastern Hemlock (Tsuga Canadensis)	С	80'-100'	Moderate	Cones	Shade tolerant, grows well in understory planting	Well drained soils	Landscaping, hedging
American Chestnut (Castanea dentate)	Η	80'-100'	Moderate	Catkins	Full sun	Well drained acidic soils	Rot resistant, furniture wildlife food source, nuts are great for eating
Red Oak (Quercus rubra)	Н	60'-80'	Fast	Acorns	Full sun	Well drained upland soils	Important wildlife food, timber used for furniture & trim
White Oak (Quercus alba)	Н	60'-80'	Moderate	Acorns	Full sun	Moist, well drained upland soils	Preferred wildlife food, timber used for furniture & trim, decay resistant
Burr Oak (Quercus macrocarpa)	Н	50'-75'	Slow to moderate	Acorns	Full sun	Moist, well drained soils	Preferred wildlife food, timber used for furniture & trim
Flame Maple (Acer ruburm)	Η	50'-70'	Moderate	Samaras	Shade tolerant	Moist, well drained upland soils	Ornamental, bright red fall colors
Sugar Maple (Acer saccharum)	Η	70'-100'	Slow to moderate	Samaras	Shade tolerant	Moist, fertile, well drained upland soils	Ornamental, high value for timber, maple syrup
Red Maple (Acer ruhrum)	Н	50'-70'	Fast	Samaras	Shade tolerant	Wide range of	Reforestation value, red fall

						coilc	colors
						soils,	colors
						tolerates	
						wet soils	
Silver Maple (Acer	Н	50'-80'	Fast	Samaras	Full sun	Wet to	Food source for
saccharinum)						well	wildlife
						drained	
						soils	
Quaking Aspen (Populus	Н	40'-60'	Moderate	Catkins	Shade	Wide	Food source for
tremuloides)			to fast		tolerant	range of	wildlife
						soils but	
						thrives in	
						wet soils	
American Plum (Prunus	Н	10'-15'	Moderate	Plums /	Full sun	Well	Wildlife food and
Americana)				berries		drained	cover
•						soils	
Black Walnut (Juglans	Н	70'-90'	Moderate	Nuts	Full sun	Fertile,	Wildlife, timber,
nigra)						well	furniture, nuts
						drained	eaten by squirrels
						upland	cutch by squireis
						soils	
Fountain Grass	S	1'-3'	Fast	Flowers	Open areas	Dry well	Ornamental
	3	1-5	Fasi	FIOWEIS	Openaleas	drained	Omamentai
(Pennisetum setaceum)	S	4'-6'	Fast these	<u>Elevisene</u>	E. II area		Attus sta
Butterfly Bush (Buddleia	3	4 -0	Fast then	Flowers	Full sun	Well	Attracts
davidii)			slow			drained,	butterflies &
						moist	bees, comes in
						loamy	variety of colors
<u> </u>						soils	- ·· · ·
Redosier Dogwood	S	4'-10'	Fast then	White	Shade	Likes wet	Fruit eaten by
(Cornus stolonifera)			slow	berries	tolerant	soils but	songbirds,
						does well	pheasant &
						ina	grouse, deer
						variety of	browse on twigs
						soils	
Silky Dogwood (Cornus	S	10'-12'	Moderate	Blue	Shade	Moist	Fruits eaten by
amomum)				berries	tolerant	soils but	songbirds,
						does well	windbreaks,
						in variety	wildlife
						of soils	food/cover
Common Lilac (Syringa	S	15'-20'	Moderate	Flowers	Shade	Variety of	Ornamental
vulgaris)					tolerant	soils	
Rose of Sharon (Hibiscus	S	8'-12'	Fast then	Flowers	Full sun to	Any soil	Attracts
syriacus)			slow		partial	except	butterflies,
					shade	extremely	flowers come in a
						wet ,	variety of colors
							in July to Sept.
Nanking Cherry (Prunus	S	6'-8'	Moderate	Red	Full sun	Loamy	Windbreaks,
tomentosa)	-			berries		soils	wildlife
tomentosaj		I	I	JULIES		30113	whullic

							food/cover
Elderberry (Viburnum lentago)	S	6'-8'	Fast	Fruits & flowers	Shade tolerant, grows fast in full sun	Many soils, not wet	Fruit, makes jam, pies and wine, excellent for birds, quail and pheasants
Arrowwood (Viburnum dentatum)	S	8'-10'	Fast	Fruits & flowers	Somewhat shade tolerant	Well drained soils	Berries eaten by songbirds
Nanny Berry (Viburnum lentago)	S	20'	Fast then slow	Blue/black berries	Sun to partial shade	Tolerates red soils	Berries throughout winter, wildlife food source